

Part IV: How information travels on the internet

By  Jarrod Chatz

30 May 2018

You don't need to be in IT to understand the ins and outs of the internet. This ['how the internet works' series](#) will teach you everything you need to know about the internet: from its core functionality to how that's possible.



© grandeduc via [123RF](#)

My last post explored how all the devices connected to the internet are able to “speak” to one another by understanding a common set of protocols called TCP/IP.

Think of TCP/IP as the universal language of the internet. They tell computers how to break data files into bits and place them into packets for transmission across the world. And when the packets arrive at their destination, the receiving device also knows how to reassemble the data.



Part I: What is the internet?

Jarrod Chatz 22 Dec 2017



In this post, we're taking a look at how these clever little packets get from one device to another.

Packet switching and interconnectivity

What really makes the internet functional – and beautiful – is 'packet switching'.

Packet switching allows the packets of data to split up and travel independently over several different routes to their destination. It also means that several types of data (video packets, email packets – even voice call packets) can travel on the same route at the same time.

If a route is down or heavily congested, packets can be easily redirected to a more appropriate one. Much the same as your GPS can navigate you on alternate routes.

Before we can discuss how these routes are determined, here's a quick look at the process that the packets follow from one device to another.

Protocol stacks

You wouldn't get dressed, put your shoes on and brush your hair before getting into the shower, would you? In the same way, computers rely on protocols to make sure they follow these steps in the right order.



Part II: The infrastructure that makes up the network of networks

Jarryd Chatz 6 Feb 2018



A group of protocols working together is called a protocol stack. Protocol stacks are made up of various layers, which each contain instructions to let both sides understand what it should do with the packets.

TCP/IP, which I spoke about [in my previous post](#), is an example of a protocol stack.

The TCP/IP protocol stack

The TCP/IP protocol stack is made up of four layers. These layers are responsible for disassembling data into packets, addressing, routing and delivering them, and finally ensuring correct reassembly.

When you want to send data across the net, the data will go through each of these layers in a specific order: Application → Transport → Internet → Network. This same order is reversed when data is received.

1. **Application:** The application layer is where communications protocols and interface methods work, standardising functions like email (SMTP) and file transfers (FTP) for example.
2. **Transport:** The transport layer is where your TCP steps in, asking other devices on the network if they're willing to accept the information from the local device.
3. **Internet:** The internet layer is where internet protocol uses your IP address to establish which device it is communicating with.
4. **Network:** The network interface routes data between devices on your network and manages the exchange of data between your network and the outside world.

How packet routes are determined

Multiple factors determine the packets' routes, such as time (the fastest route available) and the relationships between internet service providers (ISPs).

Your internet service provider maintains relationships with many other ISPs to ensure there are as many options for routing your data as possible. When your message leaves your computer, it travels to your ISP, and they send the packets over the fastest available routes.



Part III: The rules and language of the internet

Jarryd Chatz 27 Mar 2018



Quality of service (QoS) and prioritising

Essentially, QoS is your network's ability to achieve maximum bandwidth by prioritising certain types of data ahead of others. QoS applies to certain network traffic, such as streaming media, online gaming, voice over internet protocol (VoIP) and virtual conferencing.

How it works

Imagine that you're watching Netflix on a Saturday evening, you have a VoIP line, and a call comes through.

Packet switching allows both the video and voice packets to be routed over your internet line.

Prioritisation, determined by your ISP, involves inspecting packet headers to identify the data traffic and determining the order that the packets then need to be received in.

This means that when your friend calls, your VoIP phone will still ring. In fact, you'll be able to take the phone call while Netflix runs simultaneously, without anything being interrupted.

Who is responsible for your internet experience?

It's up to your ISP to determine the best combination QoS elements, to achieve maximum bandwidth. Your ISP will focus on and constantly refine, their QoS and prioritisation policies – as this makes the difference between an okay internet experience and a brilliant one.

ABOUT JARRYD CHATZ

Jarryd Chatz is the CEO of BitCo. He began his career as a retail store manager in Cape Town within the VodacomChatz Franchise Group. By 2010 he had worked his way to head up the Youth Marketing sector at Vodacom4U which saw him move to Johannesburg. After a year in that position, he was promoted to national head of sales and marketing for Vodacom4U and Chatz Connect.

- ▀ Part IV: How information travels on the internet - 30 May 2018
- ▀ Part III: The rules and language of the internet - 27 Mar 2018
- ▀ Part II: The infrastructure that makes up the network of networks - 6 Feb 2018
- ▀ #BizTrends2018: What's on the ICT agenda in 2018? - 8 Jan 2018
- ▀ Part I: What is the internet? - 22 Dec 2017

[View my profile and articles...](#)

For more, visit: <https://www.bizcommunity.com>