

Lessons on how to effectively tackle insect invasions

Kenyan food production and grazing land is under threat from a huge [desert locust invasion](#). The insects are currently in two counties in northern Kenya and are [now spreading](#) to other Kenyan regions including Meru, Laikipia, and Rift Valley. The government has yet to quantify losses but past attacks [have caused](#) harvest losses of up to 70%.

By [Esther Ndumi Ngumbi](#) 20 Jan 2020



Flying desert locust. Holger Kirk/Shutterstock

Desert locusts are considered to be the [most dangerous](#) of all migratory pests because they can eventually develop wings and form a cohesive swarm which can cross continents and seas. They have the ability to devour crops from entire farm fields in a single morning. Studies show that [large swarms](#) form because of factors including changes to the environment, [population structure](#) and [behaviour](#).

These desert locusts [migrated from](#) Yemen – a traditional breeding area – through Djibouti, Somalia and Ethiopia. The region has had more rainfall than usual which could have led to this situation. After periods of drought, when vegetation flushes occur in major desert locust breeding areas, rapid population build up and competition for food can lead to a swarm developing.

To fight these voracious pests, the government of Kenya [is using](#) chemical pesticides, often the usual immediate response of African governments to these outbreaks. This was the approach used to curb the spread of the invasive fall armyworm in Kenya, [Malawi](#) and Ghana, for instance. But they don't work in the long run.

Pesticides are chemicals used to kill pests – from animal pests to weeds. Their use is growing in many countries in general, including [Cameroon](#), [Ethiopia](#), [Ghana](#), [Kenya](#) and [Nigeria](#). In 2017, Nigeria alone spent over [US\\$400m](#) on these chemicals.

While there are [benefits](#) of using pesticides – including [directly](#) reducing the incidence of the invading pests

– the benefits [are](#) short-term: insects can quickly become resistant to them.

Pesticides are also bad for the [environment](#) and the [health](#) of consumers and farmers. Many European countries have [banned](#) some of them for those reasons. In 2017, [a United Nations report](#) showed that [abc](#) 200,000 people, [mostly](#) from developing countries, die every year from pesticide poisoning.

Countries must, therefore, promote alternatives or look more carefully at how to prevent insect invasions in the first place.

Integrated pest management

There are alternatives to pesticides including [integrated pest management](#). This is an [approach](#) that does not rule out the use of pesticides, but uses them as little as possible.

Integrated pest management also promotes the use of safer alternatives, like biocontrol, which uses natural enemies to control pests, [biopesticides](#) and cultural control practices, which modify the growing environment to reduce unwanted pests.

Biopesticides have been used to manage the [invasive fall armyworm control locust](#), but they're not popular because they [take time](#) to kill the pest.

Countries also need to be proactive in dealing with potential invasions – reactive measures aren't enough. With warming temperatures in many parts of the continent, some insects will grow and mature faster, meaning [more](#) pest invasions. Sub-Saharan African countries will be greatly [affected](#). Recent examples include the [fall armyworm invasions](#) that caused billions of dollars in losses on the continent while contributing to food insecurity for millions of farmers.

Governments must work to prevent insect invasions from happening in the first place.

Preventing invasions

It's possible for African countries to anticipate and prepare for invasions. They can tap into existing support tools to identify potential invasive pests. The [Horizon Scanning Tool](#), for example, is a tool with which countries can generate a list of insect species that might invade from neighbouring countries – particularly important if they share similar climates or are linked by transport and trade routes. Because countries know about potential invaders ahead of time, they can prepare action plans to be rolled out when predicted invasions happen.

African countries must also strengthen their own pest surveillance efforts. Most African countries [don't](#) have good systems – such as border screening – in place to control the introduction of plants and plant products which could have pests or diseases. Many governments [also don't](#) carry out routine pest surveillance.

Countries should also learn from others that have successfully tackled invasions. For instance, the US [has](#) invasive insect species task forces, councils, committees and advisory groups to provide expertise and guidance on how to prepare for and tackle insect invasions when they happen.

As with the fall armyworm, and through meetings organised by the United Nations Food and Agricultural Organisation, African countries were able to [learn](#) from countries like Brazil that have successfully tackled armyworm invasion. For instance, they learned how to accurately identify the pests and how to use the right

biological control agents.

Finally, countries must have emergency funds at their disposal to support citizens who become food insecure because of the invading insects. In dealing with recent fall armyworm, this was sorely lacking.

By anticipating pest outbreaks and invasions and having multi-pronged and comprehensive efforts laid out African countries can effectively deal with pest outbreaks and invasions. Key to this is being proactive, rather than reactive.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

ABOUT THE AUTHOR

Esther Ndumi Ngumbi is Assistant Professor, Department of Entomology; African-American Studies, University of Illinois at Urbana-Champaign.

For more, visit: <https://www.bizcommunity.com>